



D2118 BURETTES

For Pinchcock, With Tip Class B.

Capacity MI.	Graduation ml.	MRP/PC EURO	
10	0.05	4.45	
25	0.1	4.91	
50	0.1	5.27	


D2121 BURETTES

Rotaflo, Fitted With Rotaflo GP (General Purpose) Screw Thread Stopcocks With PTFE Keys, Class A.

Capacity MI.	Graduation ml.	MRP/PC EURO	
10	0.05	16.00	
25	0.1	17.00	
50	0.1	18.00	
100	0.02	26.09	


D2122 BURETTES

Rotaflo, Fitted With Rotaflo GP (General Purpose) Screw Thread Stopcocks With PTFE Keys, Class B.

Capacity MI.	Graduation ml	MRP/PC EURO	
10	0.05	6.09	
25	0.1	6.00	
50	0.1	6.55	
100	0.2	9.09	

D2123 BURETTES

Straight Bore Stopcocks, Class A.


Capacity MI.	Graduation ml	MRP/PC EURO	
1*	0.01	17.64	
+2*	0.02	17.64	
5*	0.02	16.36	
10	0.05	16.36	
25	0.1	16.73	
50	0.1	19.00	
100	0.2	26.82	

*+ not covered in I.S.

*+ with cup top

D2124 BURETTES


Straight Bore Stopcocks, Class B.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
1	0.01	7.55	
2	0.02	7.55	
5	0.02	7.55	
10	0.05	6.64	
25	0.1	6.64	
50	0.1	7.27	
100	0.2	9.64	

* with cup top


D2125 - BURETTES

Double Oblique Bore Stopcock, 3 - Way Class A.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	28.18	
25	0.1	31.18	
50	0.1	37.45	
100	0.2	47.73	


D2126 BURETTES

Double Oblique Bore Stopcock, 3 - Way Class B.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	17.64	
25	0.1	17.64	
50	0.1	21.36	
100	0.2	26.64	


D2127 BURETTES

Double Oblique Bore Rotaflo Stopcock, 3-Way, Accuracy as per Class A.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	27.73	
25	0.1	30.73	
50	0.1	37.00	
100	0.2	42.27	


D2128 BURETTES

Double Oblique Bore Rotaflo Stopcock, 3-Way, Accuracy as per Class B.

Capacity MI.	Graduation ml	MRP/PC EURO	
10	0.05	16.82	
25	0.1	17.18	
50	0.1	21.00	
100	0.2	25.73	


D2129 BURETTES

Straight Bore PTFE Key Stopcock, Accuracy as per Class A.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
50	0.1	19.91	

D2130 BURETTES


Straight Bore PTFE Key Stopcock, Accuracy as per Class B.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
50	0.1	9.00	


TOP


D2145 BURETTES

Double Oblique Bore Rotaflo Stopcock, 3-Way, Automatic Zero, Accuracy as per Class A.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	51.00	
25	0.1	56.36	
50	0.1	71.00	


D2146 BURETTES

Double Oblique Bore Rotaflo Stopcock, 3-Way, Automatic Zero, Accuracy as per Class B.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	38.00	
25	0.1	41.82	
50	0.1	51.00	


D2147 BURETTES

Double Oblique Bore Stopcock, 3-Way, Automatic Zero, Accuracy as per Class A.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	53.00	
25	0.1	58.00	
50	0.1	71.00	


D2148 BURETTES

Double Oblique Bore Stopcock, 3-Way, Automatic Zero, Accuracy as per Class B.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	38.00	
25	0.1	43.64	
50	0.1	51.00	


D2149 BURETTES

Automatic Zero, Mounted on Reservoir, With Rubber Bellows, Class A.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	54.55	
25	0.1	52.73	
50	0.1	60.00	
100	0.2	67.27	

2150 BURETTES

Automatic Zero, Mounted on Reservoir, With Rubber Bellows, Class B.

Capacity MI.	Graduation Intervals ml	MRP/PC EURO	
10	0.05	40.00	
25	0.1	38.00	
50	0.1	42.00	
100	0.2	47.00	

Reservoir Capacity :
500 ml. for 10ml. size and 2000ml. for 25,50 and 100ml.sizes